


NARMS – EB 1999

Veterinary Isolates

Fig. 23. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)




Breakpoint = 64

NARMS – EB 1999

Veterinary Isolates

Fig. 23. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)




↓ Breakpoint

NARMS – EB 1999

Veterinary Isolates

Fig. 23. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)




⬇ Breakpoint

NARMS – EB 1999

Veterinary Isolates

Fig. 23. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)




↓ Breakpoint

NARMS – EB 1999

Veterinary Isolates

Fig. 23. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)




↓ Breakpoint

NARMS – EB 1999

Veterinary Isolates

Fig. 23. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)




↓ Breakpoint

NARMS – EB 1999

Veterinary Isolates

Fig. 23. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)




↓ Breakpoint

NARMS – EB 1999

Veterinary Isolates


Fig. 23. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)



NARMS – EB 1999

Veterinary Isolates

Fig. 23. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)




Breakpoint = 4

NARMS – EB 1999

Veterinary Isolates

Fig. 23. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)




*Breakpoint Not Established

NARMS – EB 1999

Veterinary Isolates

Fig. 23. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)




↓ Breakpoint

NARMS – EB 1999

Veterinary Isolates

Fig. 23. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)




↓ Breakpoint

NARMS – EB 1999

Veterinary Isolates

Fig. 23. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)




↓ Breakpoint

NARMS – EB 1999

Veterinary Isolates

Fig. 23. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)




↓ Breakpoint

NARMS – EB 1999

Veterinary Isolates


Fig. 23. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)



NARMS – EB 1999

Veterinary Isolates


Fig. 23. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)



NARMS – EB 1999

Veterinary Isolates

Fig. 23. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)



↓ Breakpoint